

SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 12/12/2022

SECTION 1. IDENTIFICATION

Product Name: Aluminum Phosphate

CAS #: 7784-30-7

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1

H318 Causes serious eye damage.

Hazards not otherwise classified

No data available

GHS label elements

GHS label elements, including precautionary statements

Hazard pictograms

GHS05		, '								
Signal word										
Danger	.:	:	:	, ;	:		.;	:		
Hazard statements										
H314 Causes severe	skin buri	ns and ey	e dama	ige.		111			; , ,	
Precautionary statement	entsP260) , · · C								: .
Do not breathe dust/fu	ıme/gas	/mist/vapo	ors/spra	ıy.	:	:		:	:	:
P303+P361+P353 If c	on skin (d	or hair): Ta	ake off	immedi	iately all	contamir	nated c	lothing. F	Rinse ski	n with
water/shower.						111				
P305+P351+P338 IF	IN EYES							s. Remo	ve conta	ct
lenses, if present and	easy to	do. Contir	nue rins	sing.						: .
P301+P330+P331 IF	SWALL	OWED: rir	nse moi	uth _. ; Do	NOT ind	duce vom	niting.		:	,:
P405										
Store locked up.			: ' '			: "			: "	
P501										
Dispose of contents/co	ontainer	in accord	ance w	ith loca	l/regiona	al/nationa	ıl/intern	ational r	egulation	ıs.
WHMIS classification	.:	}	:	, ;	1	:		;	;	.:
D2B - Toxic material o	causing o	other toxic	effects	6						
E - Corrosive material		. * *	: ' '		. * *	!''		. ' '	;**	
Classification system		, e ^c								
HMIS ratings (scale 0-	-4)									
(Hazardous Materials	Identific	ation Syst	tem)	, ;	!	-	, ;	!	:	.:
Health (acute effects)	= 3									
Flammability = 0		. * *	: ' '		. * *	: ' '	1 1		: ' '	
Physical Hazard = 1		. '								: .
Other hazards	,									
Results of PBT and v	PvB asse	essment	;	. '	;	:	.'	:	;	
PBT:										
N/A	,	. ' '	,	1	.''	,	1	.''		,
vPvR·										

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

7784-30-7 Aluminum phosphate

Identification number(s):

EC number: 232-056-9

SECTION 4. FIRST AID MEASURES

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

If inhaled:

Supply patient with fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctorMost important symptoms and effects, both acute and delayed

Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents

Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Phosphorus oxides

Aluminum oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Methods and materials for containment and cleanup:

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards:

No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

No special requirements. Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from strong bases.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Specific end use(s)

No data available

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average

face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

7784-30-7 Aluminum phosphate (100.0%) PEL (USA) Long-term value: 15*, 5** mg/m *total dust, as Al; **respirable fraction, as Al TLV (USA) Long-term value: 1 mg/m respirable fraction, as Al Additional information: No data Exposure controls Personal protective equipment Follow typical protective and hygienic practices for handling chemicals. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary

manufacturer.

Penetration time of glove material (in minutes)

No data available

Eye protection:

Tightly sealed goggles

Full face protection

Body protection:

Protective work clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Form: Crystalline powder

Color: White

Odor: No data available

Odor threshold: No data available.

pH: N/A

Melting point/Melting range: >1500° °C (>2732° °F)

Boiling point/Boiling range: No data available

Sublimation temperature / start: No data available

Flammability (solid, gas)

No data available.

Ignition temperature: No data available

Decomposition temperature: No data available

Autoignition: No data available.

Danger of explosion: No data available.

Explosion limits:

Lower: No data available

Upper: No data available

Vapor pressure: N/A

Density at 20 °C (68 °F): 2.560	6 g/cm								
3											
(21.413 lbs/gal)		.;			. :				:		
Relative density											
No data available	-		. **	!''		. * *	!''		.**	111	
Vapor density											
N/A tiles Evaporation rate	;	.;	:	:	.;	:	:	.;	1	:	.:
N/A Solubility in Wate			.**	:''	• :	.**		• :	,0	:"	
2		: .	. '			. '				• :	: .
O): Insoluble		.:				;	;		;	:	
Partition coefficie											
Viscosity:	: ' '			: • •			111			: ' '	
Dynamic: N/A											
Kinematic: N/A											
Other information	;	, ;	1	:	. :	1	;	.:	:	1	, ;
No data available											
	: ' '			111		, ,				111	
SECTION 1	0. S	TAE	BILITY	AND	RE	ACTIV	/ITY				: .
							;				, ;
No data available											

Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions

No dangerous reactions known

Conditions to avoid

No data available									
Incompatible materials:									
Oxidizing agents		:	, ;						.:
Bases									
Hazardous decomposition	products:Ph	nosphoru	ıs oxide	es (e.g. F	P2O5)			: "	
Aluminum oxide			: .			: .			
	: ;	;	.:	:	;	.:		:	.:
SECTION 11. TO	XICOLO								
Information on toxicologic	al effects								
Acute toxicity:									
Swallowing will lead to a s	strong corros	ive effec	t on mo	outh and	throat ar	nd to th	e dangei	of perfo	ration
of esophagus and stomac	h.								
The Registry of Toxic Effe	ects of Chem	ical Subs	stançes	(RTEC	S) contaiı	ns acut	e toxicity	data for	this
substance.									
LD/LC50 values that are r	elevant for c	lassificat	tion:	, '			. '		
Oral	:	;	, ;	:	;	, ;	1	;	.:
LD50 >5 gm/kg (mouse)									
Dermal LD50 >4640 mg/k	g (rabbit)	111		. * *	111		. * *	111	
Skin irritation or corrosion	:								
Causes severe skin burns									
Eye irritation or corrosion:		:	, ;	1				:	.:
Causes serious eye dama	_								
Sensitization:	1	111		. * *	!''		. * *		
No sensitizing effects kno	wn.			. "					
Germ cell mutagenicity:			,						
No effects known.	:	:	, '	1	:	, '	;	;	. '
Carcinogenicity:			1 1		:"				
ACGIH A4: Not classifiable	e as a huma	n carcin	ogen: Ir	nadequa	te data o	n which	n to class	sify the a	gent
in				. '					

terms of its carcinogenicity in h	numans ar	ıd/or an	imals.						
Reproductive toxicity:									
No effects known.			, ;	:		.;			
Specific target organ system to			-						
No effects known.	. ' '	!''		.''			.''	: '	
Specific target organ system to	oxicity - sir	ngle exp	osure:				, e ¹		: .
No effects known. Aspiration hazard:	:	:	.:	:	:	.:	1	:	.:
No effects known. Subacute to chronic toxicity:	.**	!''		.**		. :	.**	:''	
The Registry of Toxic Effects of	of Chemica	al Subst	ances	(RTECS) o	contains	s multip	le dose to	xicity d	ata
for this substance.	:	:	.:	:	:	.:	:	:	.:
Additional toxicological informa	ation:	: ' '				1 1			
To the best of our knowledge t	he acute a	and chro	onic tox	icity of this	subst	ance is	not fully k		,
			'	. '			, '		'
SECTION 12. ECOL	.OGIC			;	;	.:	·	:	
SECTION 12. ECOL		AL IN	IFOF	RMATIC) N	.:	:	1	
	.**	AL IN	IFOF	RMATIC	ON :··				
Toxicity		AL IN	IFOF	RMATIO	DN :··			• :	
Toxicity Aquatic toxicity: No data available		AL IN	IFOF	RMATIO	DN :··			• :	
Toxicity Aquatic toxicity: No data available Persistence and degradability		AL IN	IFOF	RMATIO	DN :··				
Toxicity Aquatic toxicity: No data available Persistence and degradability No data available		AL IN	IFOF	RMATIC 	DN :··				
Toxicity Aquatic toxicity: No data available Persistence and degradability No data available Bioaccumulative potential No data available		AL IN	IFOF	RMATIC 	DN :::				
Toxicity Aquatic toxicity: No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil	ological in	AL IN	IFOR	RMATIC	DN				
Toxicity Aquatic toxicity: No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil No data availableAdditional ed	ological in	formatione envir	on:	RMATIC	DN	ermits.			

PBT:		:	. '	:	1	, '	1	1	, '	1	:	. '
N/A vPvB:		: ' '	• ;	.**	:		.**	111	• ;	.**		,
N/A	.*		: .									:
Other ad	verse effe i available	ects	.:	!	!	.:	!		.:	:	:	.;
		: ' '				1 1		: ' '	1 1			
			'	1			,		,	,		
							ERATI					
SECT		3. C	OISP	OSAL	. CON	NSIDI		ONS	: .	e ^r		
SECT Waste tre	cion 1 eatment r	3. C	OISP ods	OSAL	CON	ISIDI	ERATI	ONS	::		:	
SECT Waste tre Recomm Consult of	eatment recorded package	3. C metho	ods ons to	OSAL	CON	ISIDI	ERATI	ONS			:: :::	
SECT Waste tre Recomm Consult of Uncleaned Recomm	eatment reduction official reduction	3. C metho	ods ons to	OSAL ensure pr	con	ISIDI	ERATI	ONS			:: :::	

SECTION 14. TRANSPORT INFORMATION

UN-Number

DOT, IMDG, IATA

UN3260

UN proper shipping name

Avoid transfer into the environment.

Results of PBT and vPvB assessment

DOT

Corrosive solid, acidic, inorganic, n.o.s. (Aluminum phosphate)

IMDG, IATA

CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Aluminum phosphate)

Transport hazard class(es)

DOT

Class	: :.	. '						, .
3 Corrosive substai	nces.							
_abel	, ;		i	, i				
B A A A A A A A A A A A A A A A A A A A		."	:''		.**	:''		
3 (C2) Corrosive su	ıbstances							, '
_abel 3		:	:	.:	:	:	.:	:
MDG, IATA Class								
B Corrosive substa	nces.							. '
_abel		!	:	.:	:	:	.:	:
Packing group			: ' '	1 1		111		, .
DOT, IMDG, IATA								
Environmental haza	ards:N/A	;	:	, :	;	-	.:	
Special precautions	s for user							
Warning: Corrosive	substance	S . '	: ' '		. ' '	: ' '		, '
EMS Number: F-A,	S-B					. :		, ,
Segregation groups	5							
Acids			:		:		.:	
Transport in bulk a	ccording to	Annex II	of MAR	POL73	/78 and 1	the IBC (Code	
N/A		. ' '	: ' '	1 1	. ' '	: "		, '
Transport/Additiona	al informatio	n;						, .
OOT ; Marine Pollutant (D								
No JN "Model Regulat	ion":		: ' '			;''		
IN3260 Corrosive	solid acidi	c inorgar	nic n o	e /Δlur	minum n	hoenhate	7 8 III	

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS GHS label elements, including precautionary statements Hazard pictograms GHS05 Signal word Danger Hazard statements H314 Causes severe skin burns and eye damage. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic

Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer

Substance is not listed.

Prop 65 - Developmental toxicity

Substance is not listed.

Prop 65 - Developmental toxicity, female

Substance is not listed.

Prop 65 - Developmental toxicity, male

Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

This substance is subject to a Significant New Use Rule (SNUR) promulgated under

Section 5(a)(2) of the Toxic Substances Control Act (TSCA). See 40 CFR 721.

This product is being sold for research and development use.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.