

# SAFETY DATA SHEET

Date Accessed: 25/08/2023

Date Revised: 20/11/2022

#### **SECTION 1. IDENTIFICATION**

**Product Name:** Magnesium Ingot

CAS #: 7439-95-4

Relevant identified uses of the substance: Scientific research and development

Supplier details:

Stanford Advanced Materials

E-mail: sales@samaterials.com

Tel: (949) 407-8904

Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

## **SECTION 2. HAZARDS IDENTIFICATION**

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

Self-heat. 1 H251 Self-heating: may catch fire.

Water-react. 2 H261 In contact with water releases flammable gas.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

F; Highly flammable

R15-17: Contact with water liberates extremely flammable gases. Spontaneously flammable in air.

Information concerning particular hazards for human and environment:

N/A

Hazards not otherwise classified

No data available.

Label elements

Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labeled according to the CLP regulation.

Hazard pictogramsGHS02

Signal word: Danger

Hazard statements

H228 Flammable solid.

H251 Self-heating: may catch fire.

H261 In contact with water releases flammable gas.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use for extinction: Special powder for metal fires.

P420 Store away from other materials.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B6 - Reactive flammable material

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System).

Health (acute effects) = 1

Flammability = 4

Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment:

PBT: N/A.

vPvB: N/A.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

CAS No. / Substance Name:

7439-95-4 Magnesium powder

Identification number(s):

EC number: 231-104-6

Index number: 012-001-00-3

# **SECTION 4. FIRST AID MEASURES**

Description of first aid measures

If inhaled:

Supply fresh air. If not breathing, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

In case of skin contact:

Immediately wash with soap and water; rinse thoroughly.

Seek immediate medical advice.

In case of eye contact:

Rinse opened eye for several minutes under running water. Consult a physician.

If swallowed:

Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayedNo information available.

Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5. FIREFIGHTING MEASURES**

Extinguishing media

Suitable extinguishing media

Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing media

Water

Special hazards arising from the substance or mixture

Spontaneously flammable in air.

If this product is involved in a fire, the following can be released:

Metal oxide fume

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions:

Do not allow material to be released to the environment without official permits.

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleanup:

Keep away from ignition sources.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards:

Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7. HANDLING AND STORAGE**

Handling

Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure adequate ventilation.

Information about protection against explosions and fires: Substance/product is self ignitable.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from air.

Store away from water/moisture.

Further information about storage conditions:

Store under dry inert gas.

Do not use nitrogen with this product.

This product is moisture sensitive.

This product is air sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well-sealed containers.

Protect from humidity and water.

Specific end use(s)

No information available.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average

face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: Not required.

Additional information: No data

Exposure controls

Personal protective equipment

Follow typical general protective and industrial hygiene measures for handling chemicals.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Inspect gloves prior to use.

Suitability of gloves should be determined both by material and quality, the latter of which may vary by

manufacturer.

Penetration time of glove material (in minutes)

No data available.

Eye protection: Safety glasses

Body protection: Protective work clothing.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Form: PowderColor: White

Odor: Odorless

Odor threshold: No data available.

pH: N/A.

Melting point/range: 650 °C (1202 °F)

Boiling point/range: 1100 °C (2012 °F)

Sublimation temperature / start: No data available.

Flammability (solid, gas):

Contact with water liberates extremely flammable gases.

Ignition temperature: No data available.

Decomposition temperature: No data available.

Auto igniting: Spontaneously flammable in air.

Danger of explosion: No data available.

**Explosion limits:** 

Lower: No data available.

Upper: No data available.

Vapor pressure at 621 °C (1150 °F): 1.33 hPa (1 mm Hg)

Density at 20 °C (68 °F): 1.738 g/cm<sup>3</sup> (14.504 lbs/gal)

Relative density: No data available.

Vapor density: N/A.

Evaporation rate: N/A.

Solubility in Water (H

O): Contact with water re	eleases	flammabl	e gase	S						٠٠.
Partition coefficient (n-od										
Viscosity:	. ' '	•	٠.	. ' '	1	٠.	. ' '	1	٠.	, ' '
Dynamic: N/A.										
Kinematic: N/A.	'		; ' '	' '	`:	:	'	`: 	: '	
Other information	• • •			• •					٠	٠٠,
No information available	-					,				
- Marine - M	. ' '	'		'''		<u>''</u>		'	''	'''
	,								: ' '	
SECTION 10. S	TABI	LITY A	ND	REA	CTIVIT	ſΥ		:	,	
Reactivity		··.	1			1		٠.	1	٠٠,
In contact with water rele	eases fla	ammable	gases	which r	nay ignite	sponta	neously	y- '	:,	,
Catches fire spontaneou	ısly if ex	posed to	air.							
Chemical stability		1	111		1	: ' '	'	1	: • •	
Stable under recommen										
Thermal decomposition	/ conditi	ons to be	avoide	ed:		·	'',	**,	·	''',
Decomposition will not o	ccur if u	ised and s	stored a	accordi	ng to spec	ification	ns.	1 1	:.	
Possibility of hazardous	reaction	าร								
Spontaneously flammab	le in air.	:	111		`;	: ' '	'	1	: ' '	'
Contact with water relea	ses flan	nmable ga	ases							
Conditions to avoid										
No information available			1,	. ' '		1,			1.	
Incompatible materials:										
Air	'	`:	111	'	`:	111		`:		'
Oxidizing agents									٠	
Nitrogen										
Water/moisture	. ' '		i,			· ,			· .	. ' '
Hazardous decomposition	on produ	ıcts:			4	111				
Metal oxide fume		1	,	1.1	:	,		:	,	
									1	

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: N/A

Carcinogenicity:

No classification data on carcinogenic properties of this material is available from the EPA, IARC,

NTP, OSHA or ACGIH.

Reproductive toxicity: N/A

Specific target organ system toxicity - repeated exposure: N/A

Specific target organ system toxicity - single exposure: N/A

Aspiration hazard: N/A

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for

this substance.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# **SECTION 12. ECOLOGICAL INFORMATION**

**Toxicity** 

Aquatic toxicity:

No information available.

Persistence and degradab	pility:								,
No information available									
Bioaccumulative potential:	· · · · · · · · · · · · · · · · · · ·	1,	. ' '		1.	. ' '		1,	
No information available.  A property of the control of the contro	· 1	:		1		'	1	:	
No information available.			• • •		1				
Additional ecological infor	mation:	:,	.**	•	4,			:.	
Do not allow material to be	e released to	the env	ironme	nt withou	ıt official	permits	3.	: • •	
Do not allow undiluted pro	_	-		_				-	
system.	·. · · · · ·		•••	***	1			1	٠٠,
Avoid transfer into the env	rironment.	1			1,			1,	
Results of PBT and vPvB									
PBT: N/A.		: ' '		·:	: "	'	·:	: ' '	
vPvB: N/A.									
Other adverse effects	1. 11.					'''			
No information available.		1,	. * *		1,	.**		1,	. * *
SECTION 13. DIS							1:	:	*
							٠٠,	1	٠٠,
Waste treatment methods Recommendation:		:		1 1	:		1 1	:	
Recommendation:				,					
Consult state, local or nati	_		-	-	-		-	_	
Recommendation:				;			:	1	
Disposal must be made ad	ccording to o	fficial re	gulațior	is.	100			1	٠٠,
		:		1 1	:			:	

# **SECTION 14. TRANSPORT INFORMATION**

UN-Number

DOT, IMDG, IATA

UN proper shipping	name	)								
DOT		. ' '		1,			1,	, ' '		
Magnesium, powder										
IMDG, IATA		'	`:	!''	'	1	!''			
MAGNESIUM POW	/DER									
Transport hazard c	lass(e	s)								
DOT		.''	•	',	,''	•	' ,	, ' '		
Class		'			'					
4.3 Substances which, in contact with water, emit flammable gases.										
Label		٠٠.				•	٠	٠٠,		
4.3+4.2										
Class										
4.3 (WS) Substances which, in contact with water, emit flammable gases										
Label										
4.3+4.2		· · ,	· · ,			· · .		٠٠.		
IMDG, IATA		. ' '		:.	.**		1,			
Class										
4.3 Substances wh	ich, in	contac	t with wat	er, emit	flamm	able gase	S.	'		
Label										
4.3+4.2										
Packing group		. ' '		:,			1,	. ' '		
DOT, IMDG, IATA										
II		'	`:		'		!''	'		
Environmental haza	ards:	٠,		٠			٠			
N/A.			1 1							
Special precautions	for us	ser		' .	.''	•	' .			
Warning: Substances which, in contact with water, emit flammable gases										
Segregation groups			:	1		:	1			
Powdered metals								,		

UN1418

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A. Transport/Additional information: DOT Marine Pollutant (DOT): No **UN "Model Regulation":** UN1418, Magnesium powder, 4.3 (4.2), II SECTION 15. REGULATORY INFORMATION Safety, health and environmental regulations/legislation specific for the substance or mixture National regulationsAll components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No

1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### SECTION 16. OTHER INFORMATION

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH). The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.