

SAFETY DATA SHEET

Revision Date 02-Apr-2024 Revision Number 3

1. Identification

Product Name Tantalum carbide

Cat No.:

CAS No 12070-06-3

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Stanford Advanced Materials Address: 23661 Birtcher Dr., Lake Forest, CA 92630 U.S.A.

Tel: (949) 407-8904 Fax: (949) 812-6690

Emergency Telephone Number

(949) 407-8904

(This telephone number is available 24 hours per day, 7 days per week.)

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable solids Category 2

Label Elements

Signal Word

Warning

Hazard Statements

Flammable solid

Revision Date 02-Apr-2024



Precautionary Statements

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Wear protective gloves/protective clothing/eye protection/face protection

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|------------------------|------------|----------|
| Tantalum carbide (TaC) | 12070-06-3 | <=100 |

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Tantalum oxide. Carbon monoxide (CO). Carbon dioxide (CO2).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| | _ | _ | • |
|---|---|---|---|
| N | - | μ | Δ |

Handling

| Health | Flammability | | | | Instability | | | Physical hazards | |
|--------|--------------|---|--|--|-------------|--|--|------------------|--|
| 0 : | | 2 | | | 0 : | | | - ; ' | |

| 6 | Accid | denta | l re | lease | measu | res |
|------|-----------------------|--------|------|--------|--------|------------|
| O. 1 | $\neg \cup \cup \cap$ | JUILLA | | icasc. | HICASA | $I \cup J$ |

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation.

Environmental Precautions Should not be released into the environment. Do not allow material to contaminate ground

water system. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed Up

containers for disposal.

| | 7. Ha | indling a | nd storag | ge | | 1 | 1 | |
|------|--------------|---------------|----------------|-------------|----------|-----------|---------------|--------|
| | Wear persona | protective eq | uipment/face p | orotection. | Ensure a | dequate v | entilation. [| Do not |

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible

Materials. Oxidizing agent.

8. Exposure controls / personal protection

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Physical and chemical properties

Physical State Solid Appearance Dark grey

Odor No information available
Odor Threshold No information available
No information available

pHNo information availableMelting Point/Range3880 °C / 7016 °FBoiling Point/Range5500 °C / 9932 °FFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas)

No information available

Flammability or explosive limits

Upper
Lower
No data available
No data available
No information available
Vapor Pressure
Vapor Density
Not applicable
Specific Gravity
No data available
No information available
Not applicable
13.9 g/cm3

Solubility insoluble
Partition coefficient; n-octanol/water No data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity Not applicable

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Oxidizing agent

Hazardous Decomposition Products Tantalum oxide, Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information Component Information

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|------------------|------------|------------|------------|------------|------------|----------------|
| Tantalum carbide | 12070-06-3 | Not listed | Not listed | Not listed | Not listed | , , Not listed |
| (TaC) | 1 | ' | 1 1 | 1 | ', | 1 |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposureSTOT - repeated exposure
None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Persistence and Degradability Insoluble in water May persist

Bioaccumulation/ AccumulationNo information available.

Mobility Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN3178

Proper Shipping Name Flammable solid, inorganic, n.o.s.

Hazard Class 4.1 Packing Group

TDG '

UN-No UN3178

Proper Shipping Name Flammable solid, inorganic, n.o.s.

Hazard Class 4.1 Packing Group III

IATA

UN-No UN3178

Proper Shipping Name Flammable solid, inorganic, n.o.s.

Hazard Class 4.1 Packing Group III

IMDG/IMO UN-No

UN3178

Proper Shipping Name Flammable solid, inorganic, n.o.s.

Hazard Class 4.1
Packing Group

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - | TSCA - EPA Regulatory |
|------------------------|------------|------|-------------------------------|-----------------------|
| | ' ' | | Active-Inactive | Flags |
| Tantalum carbide (TaC) | 12070-06-3 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|------------------------|------------|-----|------|-----------|-------|------|------|------|-------|----------|
| Tantalum carbide (TaC) | 12070-06-3 | Χ | - | 235-118-3 | - | Χ | Х | - | Х | KE-33010 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

Not applicable

Clean Air Act

Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ): DOT Marine Pollutant

N N

DOT Severe Marine Pollutant

N

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Not applicable

| | Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|---|------------------------|------------|---|---|---|
| L | Tantalum carbide (TaC) | 12070-06-3 | - | - | - |

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|------------------------|------------|----------------|---------------------------------|------------------------------|--|
| Tantalum carbide (TaC) | 12070-06-3 | Not applicable | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

| Γ | Component | CAS No | Seveso III Directive | Seveso III Directive | Rotterdam | Basel Convention |
|---|---------------------------------------|------------|------------------------------|---|------------------|-------------------|
| | | | (2012/18/EC) - | (2012/18/EC) - | Convention (PIC) | (Hazardous Waste) |
| 1 | · · · · · · · · · · · · · · · · · · · | 1. | Qualifying Quantities | Qualifying Quantities Qualifying Quantities | | |
| 1 | | | for Major Accident | for Safety Report | | |
| L | | | Notification | Requirements | | |
| I | Tantalum carbide (TaC) | 12070-06-3 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By

Stanford Advanced Materials Email: sales@samaterials.com

www.samaterials.com

Revision Date Print Date

02-Apr-2024 02-Apr-2024

Revision Summary

New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS