

# SAFETY DATA SHEET

Version  
3.0 Revision Date  
09/04/2017

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

### 1.1 Product identifiers

Product name : Silicon  
Brand : SAM  
  
CAS-No. : 7440-21-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Stanford Advanced  
Materials  
23661 Birtcher Dr.  
Lake Forest, CA 92630  
USA  
  
Telephone : +1 (949) 407-8904  
Fax : +1 (949) 812-6690

### 1.4 Emergency telephone number

Emergency Phone # : +1 (949) 407-8904

---

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable solids (Category 2), H228

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H228

Flammable solid.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P370 + P378

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Formula : Si  
Molecular weight : 28.09 g/mol  
CAS-No. : 7440-21-3  
EC-No. : 231-130-8

#### Hazardous components

Component	Classification	Concentration
<b>Silicon</b>		
	Flam. Sol. 2; H228	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

##### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

##### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

##### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

##### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

##### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

---

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

---

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Over time, pressure may increase causing containers to burst. Moisture sensitive. Store under nitrogen. Keep in a dry place.

Storage class (TRGS 510): 4.1B: Flammable solid hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## 8. EXPOSURE CONTROLS/PERSONAL

### PROTECTION 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Silicon	7440-21-3	TWA	15 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	15.000000 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5.000000 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5.000000 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
	Remarks	Does not occur free in nature, but is found in silicon dioxide (silica) & in various silicates.		
		TWA	10.000000 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		Does not occur free in nature, but is found in silicon dioxide (silica) & in various silicates.		

		PEL	10 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		PEL	5 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

#### Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

- |                                 |   |
|---------------------------------|---|
| a) Appearance                   | Form: powder                                    |
| b) Odour                        | odourless                                       |
| c) Odour Threshold              | No data available                               |
| d) pH                           | No data available                               |
| e) Melting point/freezing point | Melting point/range: 1,410 °C (2,570 °F) - lit. |

- |   |  |
|---|--|
| f) Initial boiling point and boiling range      | 2,355 °C (4,271 °F) - lit.   |
| g) Flash point                                  | No data available  |
| h) Evaporation rate                             | No data available  |
| i) Flammability (solid, gas)                    | The substance or mixture is a flammable solid with the category 2. |
| j) Upper/lower flammability or explosive limits | No data available  |
| k) Vapour pressure                              | No data available  |
| l) Vapour density                               | No data available  |
| m) Relative density                             | 2.33 g/mL at 25 °C (77 °F)   |
| n) Water solubility                             | insoluble  |
| o) Partition coefficient: n-octanol/water       | No data available  |
| p) Auto-ignition temperature                    | > 400 °C (> 752 °F)  |
| q) Decomposition temperature                    | No data available  |
| r) Viscosity                                    | No data available  |
| s) Explosive properties                         | No data available  |
| t) Oxidizing properties                         | No data available  |

## 9.2 Other safety information

No data available

---

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Strong oxidizing agents, Alkali carbonates, Calcium, cobalt difluoride, manganese trifluoride

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - silicon oxides

Other decomposition products - No data available

In the event of fire: see section 5

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 3,160 mg/kg

Inhalation: No data available

Dermal: No data available

No data available

**Skin corrosion/irritation**

No data available

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Mild eye irritation - 24 h

(Draize Test)

**Respiratory or skin sensitisation**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity****Reproductive toxicity**

No data available

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**Additional Information**

RTECS: VW0400000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

**12. ECOLOGICAL INFORMATION****12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

**Contaminated packaging**

Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****DOT (US)**

UN number: 1346

Class: 4.1

Packing group: III

Proper shipping name: Silicon powder, amorphous  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

**IMDG**

UN number: 1346      Class: 4.1      Packing group: III      EMS-No: F-A, S-G  
Proper shipping name: SILICON POWDER, AMORPHOUS

**IATA**

UN number: 1346      Class: 4.1      Packing group: III  
Proper shipping name: Silicon powder, amorphous

---

**15. REGULATORY INFORMATION**

**SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**SARA 311/312 Hazards**

Fire Hazard

**Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Silicon	7440-21-3	2007-03-01

**Pennsylvania Right To Know Components**

	CAS-No.	Revision Date
Silicon	7440-21-3	2007-03-01

**New Jersey Right To Know Components**

	CAS-No.	Revision Date
Silicon	7440-21-3	2007-03-01

---

**16. OTHER INFORMATION**

**Full text of H-Statements referred to under sections 2 and 3.**

Flam. Sol.	Flammable solids
H228	Flammable solid.

**HMIS Rating**

Health hazard:	1
Chronic Health Hazard:	
Flammability:	2
Physical Hazard	2

**NFPA Rating**

Health hazard:	0
Fire Hazard:	0
Reactivity Hazard:	2

**Further information**

This material safety data sheet is offered solely for your information, consideration, and investigation. Stanford Advanced Materials provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein.

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15  
16 17 18 19 20 21 22 23 24 25 26 27 28 29 30  
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45  
46 47 48 49 50 51 52 53 54 55 56 57 58 59 60  
61 62 63 64 65 66 67 68 69 70 71 72 73 74 75  
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90  
91 92 93 94 95 96 97 98 99 100 101 102 103 104 105  
106 107 108 109 110 111 112 113 114 115 116 117 118 119 120  
121 122 123 124 125 126 127 128 129 130 131 132 133 134 135  
136 137 138 139 140 141 142 143 144 145 146 147 148 149 150  
151 152 153 154 155 156 157 158 159 160 161 162 163 164 165  
166 167 168 169 170 171 172 173 174 175 176 177 178 179 180  
181 182 183 184 185 186 187 188 189 190 191 192 193 194 195  
196 197 198 199 200 201 202 203 204 205 206 207 208 209 210  
211 212 213 214 215 216 217 218 219 220 221 222 223 224 225  
226 227 228 229 230 231 232 233 234 235 236 237 238 239 240  
241 242 243 244 245 246 247 248 249 250 251 252 253 254 255  
256 257 258 259 260 261 262 263 264 265 266 267 268 269 270  
271 272 273 274 275 276 277 278 279 280 281 282 283 284 285  
286 287 288 289 290 291 292 293 294 295 296 297 298 299 300  
301 302 303 304 305 306 307 308 309 310 311 312 313 314 315  
316 317 318 319 320 321 322 323 324 325 326 327 328 329 330  
331 332 333 334 335 336 337 338 339 340 341 342 343 344 345  
346 347 348 349 350 351 352 353 354 355 356 357 358 359 360  
361 362 363 364 365 366 367 368 369 370 371 372 373 374 375  
376 377 378 379 380 381 382 383 384 385 386 387 388 389 390  
391 392 393 394 395 396 397 398 399 400 401 402 403 404 405  
406 407 408 409 410 411 412 413 414 415 416 417 418 419 420  
421 422 423 424 425 426 427 428 429 430 431 432 433 434 435  
436 437 438 439 440 441 442 443 444 445 446 447 448 449 450  
451 452 453 454 455 456 457 458 459 460 461 462 463 464 465  
466 467 468 469 470 471 472 473 474 475 476 477 478 479 480  
481 482 483 484 485 486 487 488 489 490 491 492 493 494 495  
496 497 498 499 500 501 502 503 504 505 506 507 508 509 510  
511 512 513 514 515 516 517 518 519 520 521 522 523 524 525  
526 527 528 529 530 531 532 533 534 535 536 537 538 539 540  
541 542 543 544 545 546 547 548 549 550 551 552 553 554 555  
556 557 558 559 560 561 562 563 564 565 566 567 568 569 570  
571 572 573 574 575 576 577 578 579 580 581 582 583 584 585  
586 587 588 589 590 591 592 593 594 595 596 597 598 599 600  
601 602 603 604 605 606 607 608 609 610 611 612 613 614 615  
616 617 618 619 620 621 622 623 624 625 626 627 628 629 630  
631 632 633 634 635 636 637 638 639 640 641 642 643 644 645  
646 647 648 649 650 651 652 653 654 655 656 657 658 659 660  
661 662 663 664 665 666 667 668 669 670 671 672 673 674 675  
676 677 678 679 680 681 682 683 684 685 686 687 688 689 690  
691 692 693 694 695 696 697 698 699 700 701 702 703 704 705  
706 707 708 709 710 711 712 713 714 715 716 717 718 719 720  
721 722 723 724 725 726 727 728 729 730 731 732 733 734 735  
736 737 738 739 740 741 742 743 744 745 746 747 748 749 750  
751 752 753 754 755 756 757 758 759 760 761 762 763 764 765  
766 767 768 769 770 771 772 773 774 775 776 777 778 779 780  
781 782 783 784 785 786 787 788 789 790 791 792 793 794 795  
796 797 798 799 800 801 802 803 804 805 806 807 808 809 810  
811 812 813 814 815 816 817 818 819 820 821 822 823 824 825  
826 827 828 829 830 831 832 833 834 835 836 837 838 839 840  
841 842 843 844 845 846 847 848 849 850 851 852 853 854 855  
856 857 858 859 860 861 862 863 864 865 866 867 868 869 870  
871 872 873 874 875 876 877 878 879 880 881 882 883 884 885  
886 887 888 889 890 891 892 893 894 895 896 897 898 899 900  
901 902 903 904 905 906 907 908 909 910 911 912 913 914 915  
916 917 918 919 920 921 922 923 924 925 926 927 928 929 930  
931 932 933 934 935 936 937 938 939 940 941 942 943 944 945  
946 947 948 949 950 951 952 953 954 955 956 957 958 959 960  
961 962 963 964 965 966 967 968 969 970 971 972 973 974 975  
976 977 978 979 980 981 982 983 984 985 986 987 988 989 990  
991 992 993 994 995 996 997 998 999 1000