

SAFETY DATA SHEET

Revision Date 24-Dec-2021

Revision Number 5

1. Identification

Product Name

Silver(I) fluoride

CAS No Synonyms 7775-41-9 No information available

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company Stanford Advanced Materials 23661 Birtcher Dr. Lake Forest, CA 92630 USA Tel: (949) 407-8904

Emergency Telephone Number +1 (949) 407-8904

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 1 B Category 1 Category 3

Label Elements

Signal Word Danger

Hazard Statements

Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Response

Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) Very toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component		CAS No	Weight %	
Silver fluoride (AgF)		7775-41-9	> 99	
	4.	First-aid measures		
General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.			nce. Immediate medical attention is	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.			
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately. Dermal burns may be treated with calcium gluconate gel or slurry in water or glycerine. This compound binds the active fluorides in an insoluble form and limits burn extension and pain.			
Inhalation	control cente the substanc	ove to fresh air. If not breathing, give artificial respiration. Call a physician or poison ol center immediately. Do not use mouth-to-mouth method if victim ingested or inhalec ubstance; give artificial respiration with the aid of a pocket mask equipped with a way valve or other proper respiratory medical device.		
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.			

Never give anything by mouth to an unconscious person.

Most important symptoms and
effectsCauses burns by all exposure routes. Product is a corrosive material. Use of gastric
lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should
be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue
and danger of perforation
Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Gaseous hydrogen fluoride (HF).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 3	Flammability 0	Instability 1	Physical hazards N/A
	6. Accidental rel	lease measures	
Personal Precautions	Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.		
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.		

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Protect from direct sunlight. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents. Strong acids.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Silver fluoride (AgF)	TWA: 0.01 mg/m ³ TWA: 2.5	(Vacated) TWA: 0.01 mg/m ³	IDLH: 10 mg/m ³ IDLH: 250	TWA: 0.01 mg/m ³ TWA: 0.1
	mg/m ³	(Vacated) TWA: 2.5 mg/m ³	mg/m ³	mg/m ³ TWA: 2.5 mg/m ³
	-		TWA: 0.01 mg/m ³	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

7. ETIYSICAI	i and chemical properties
Physical State	Powder Solid
Appearance	Brown
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	435 °C / 815 °F
Boiling Point/Range	1150 °C / 2102 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	5.850
Solubility	Soluble
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Ag F
Molecular Weight	126.87

10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions. Hygroscopic. Light sensitive.	
Conditions to Avoid	Exposure to light. Incompatible products. Exposure to moist air or water.	
Incompatible Materials	Strong oxidizing agents, Strong acids	
Hazardous Decomposition Products Gaseous hydrogen fluoride (HF)		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

Acute Toxicity

Product Information Component Information Toxicologically Synergistic Products Delayed and immediate effects as y	No acute toxicity information is available for this product No information available as well as chronic effects from short and long-term exposure_		
Irritation	No information available		
Sensitization	No information available		

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Silver fluoride (AgF)	7775-41-9	Not listed	Not listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information ava	ailable			
Reproductive Effects	S	No information available.				
Developmental Effect	cts	No information available.				
Teratogenicity		No information ava	No information available.			
STOT - single expos STOT - repeated exp		Respiratory system None known				
Aspiration hazard		No information available				
Symptoms / effects, delayed	both acute and	d Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation				
Endocrine Disruptor	Information	No information available				
Other Adverse Effec	ts	The toxicological properties have not been fully investigated.				
		10 Eacl	adical infor	es et le re		

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Persistence and Degradability	Soluble in water Persistence is unlikely based on information available.
-------------------------------	--

Bioaccumulation/ Accumulation No information available.

Mobility

Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN3260
Proper Shipping Name	Corrosive solid, acidic, inorganic, n.o.s.
Technical Name	Silver fluoride (AgF)
Hazard Class	8
Packing Group	II
TDG	
UN-No	UN3260
Proper Shipping Name	Corrosive solid, acidic, inorganic, n.o.s.
Hazard Class	8
Packing Group	II
IATA	
UN-No	UN3260
Proper Shipping Name	Corrosive solid, acidic, inorganic, n.o.s.
Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN3260
Proper Shipping Name	Corrosive solid, acidic, inorganic, n.o.s.
Hazard Class	8
Packing Group	II
	15 Degulatory information

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Silver fluoride (AgF)	7775-41-9	Х	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Silver fluoride (AgF)	7775-41-9	-	Х	231-895-8	-	Х	Х	Х	-	KE-31274

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold

			Values %
Silver fluoride (AgF)	7775-41-9	> 99	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Haz Substar		CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants			
Silver fluoride (AgF)	-		-	Х	-			
Clean Air Act	Not app	licable						
OSHA - Occupational Safety a Health Administration	nd Not app	Not applicable						
CERCLA	Not app	Not applicable						
California Proposition 65	This pro	This product does not contain any Proposition 65 chemicals.						
U.S. State Right-to-Know Regulations								
Component M	lassachusetts	New Je	ersey Pennsylv	ania Illinois	Rhode Island			
Silver fluoride (AgF)	Х	Х	X	-	Х			
U.S. Department of Transpor								
Reportable Quantity (RQ):	N							
DOT Marine Pollutant	N							
DOT Severe Marine Pollutant	N							
U.S. Department of Homelan	d This pro	This product does not contain any DHS chemicals.						

Security

Other International Regulations

Mexico - Grade

No information available

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Silver fluoride (AgF)	7775-41-9	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Silver fluoride (AgF)	7775-41-9	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By

Stanford Advanced Materials Email: sales@samaterials.com www.samaterials.com

Revision Date Print Date 24-Dec-2021 24-Dec-2021

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

